

Garmin gpsmap 923xsv Radar Pack

Code: 010-02366-52

€ 3.102,50 ~~€ 3.650,00~~ - 15%



GARMIN.

Garmin gpsmap 923xsv Radar Pack Display 9 "
GMR 18HD + radar antenna included
9-inch touchscreen chartplotter / depth sounder combo

High resolution 9 "touchscreen display
1 kW CHIRP sonar module supports CHIRP ClearVù and SideVù transducers
NMEA 2000® and NMEA 0183 network connectivity
Garmin Marine Network for sharing sonar data, including Panoptix™, maps, user data, radar and IP cameras between the different units installed
Supports BlueChart® g2 Vision® HD cartography with Auto Guidance 3.0 technology for automatic route calculation
Functions dedicated to sailing: Race timer, Start Guidance, Laylines, Wind-rose, Heading & COG vectors and much more

RADAR GMR 18HD +
18 "high definition xHD 4 kW radome
New design for a more attractive appearance
Simple to use and install
Dynamic Auto Gain automatically adjusts to the surrounding environment to optimize performance in all conditions
Dynamic Sea Filter automatically adjusts to sea conditions

The new touchscreen chartplotter is easy to read both day and night thanks to the large 9 "bright display.
It features wireless connectivity to use Garmin apps and interface with VIRB action cameras and a high-sensitivity 10Hz GPS / GLONASS receiver that updates heading and position 10 times per second allowing you to view boat movements smoothly.
Total compatibility with the Garmin Marine Network to share echo sounder images, maps, user data, radar images, camera recordings and images of the innovative Panoptix with the different units connected.
NMEA 2000 and NMEA 0183 connectivity allows you to interface with multiple systems including on-board autopilot, digital switching, VHF, AIS and many more.
The new GPSMAP 923xsv also includes specific functions for sailing such as Laylines, Pre-race Guidance, Race Timer, Starting line and provides new data fields dedicated to the world of sailing such as Rose of the winds, Vectors Heading and COG, Direction, speed of the wind and tide data.

They have an internal ANT + connection to communicate wirelessly with some Garmin instruments, including the quatix® 6 nautical smartwatch, the Garmin Nautix™ wearable instrument, the gWind™ Wireless 2 wind transducer and the GNX™ Wind display.

Painestore

Indirizzo 47921 Rimini

+39054121629 +39054121732

Url: https://www.painestore.com/garmin_gpsmap_923xsv_radar_pack

The xsv version is equipped with an integrated 1 kW CHIRP sonar module, CHIRP ClearVü function and SideVü, the high frequency technology that returns extremely sharp and detailed images of the objects, structures and fish below the boat.

It supports the latest generation Panoptix transducers, which allow you to scan and view in real time everything that happens in front of or under the boat, guaranteeing an exact and extremely realistic perception.

Package contents:

GPSMAP 923xsv chartplotter
Power cord
Bracket mounting kit with knobs
Flush mounting kit with gasket
Protective cover
Interlocking protections for dashboard finishing
GMR 18 HD + (radome antenna)
Assembly kit
Power cable (15 meters)
Network cable (15 meters)
Documentation

General

DIMENSIONS

9.2 "x 6.4" x 3 "(23.3 x 16.2 x 7.6 cm)

SCREEN SIZE, WXH

7.8 "x 4.4"; 9.0 "diagonal

(19.9 x 11.2 cm; 22.9 cm diagonal)

SCREEN RESOLUTION, LXH

1280 x 720 pixels

TYPE OF SCREEN

WXGA display

WEIGHT

3.6 lbs (1.6 kg)

WATERPROOF CLASSIFICATION

IPX7

POLARIZED SUPPORT

Painestore

Indirizzo 47921 Rimini

+39054121629 +39054121732

Url: https://www.painestore.com/garmin_gpsmap_923xsv_radar_pack

ENERGY CONSUMPTION

Max power usage at 10 Vdc: 22 W

Typical current draw at 12 Vdc: 1.3 A

Max current draw at 12 Vdc: 1.8 A

GPS ANTENNA

Internal or external on the NMEA 2000 network

MOUNTING OPTIONS

Bail, flush or flat

RECEIVER

10 Hz high sensitivity

GARMIN MARINE NETWORK™ DOORS

1

TRANSMISSION POWER

1 kW traditional; 1 kW CHIRP

Maps and memory

PRELOADED CARTOGRAPHY

Worldwide basemap

EXTERNAL MEMORY

2 microSD™ cards (back of unit)

WAYPOINTS

5,000

TRACK LOG

50,000 points; 50 saved tracks

ROUTES THAT CAN BE STORED

100

Painestore

Indirizzo 47921 Rimini

+39054121629 +39054121732

Url: https://www.painestore.com/garmin_gpsmap_923xsv_radar_pack

Functions for outdoor activities

TIDAL DATA

Functions of the chartplotter

COMPATIBLE WITH GARMIN RADARS

COMPATIBLE WITH GARMIN BLACK-BOXES
Yes (built-in)

GARMIN SMARTMODE COMPATIBLE (CUSTOMIZABLE MONITOR DEFAULTS)

COMPATIBLE WITH AIS FUNCTION

COMPATIBLE WITH DSC FUNCTION

SUPPORTS FUSION-LINK™ COMPATIBLE RADIO

BLACK BOX GSD™ SOUNDER SUPPORT

BLACK BOX GCV™ SOUNDER SUPPORT

ACTIVECAPTAIN COMPATIBLE

Painestore

Indirizzo 47921 Rimini

+39054121629 +39054121732

Url: https://www.painestore.com/garmin_gpsmap_923xsv_radar_pack

GRID™ (GARMIN REMOTE INPUT DEVICE) COMPATIBLE

WIRELESS CONNECTIVITY

SAILING FUNCTIONS

Echosounder features and specifications

DOUBLE FREQUENCY

DOUBLE CONE

FREQUENCIES SUPPORTED

Traditional: 50/77/83/200 kHz

CHIRP (low, medium, high)

ClearVü (260/455/800 kHz)

(dependent on transducer)

CHIRP

Yes (integrated)

CLEARVÜ

Yes with CHIRP (built-in)

SIDEVÜ

Yes with CHIRP (built-in)

MAXIMUM DEPTH

5,000 ft at 1kW (depth capacity is dependent on water bottom type and other water conditions)

ZOOM

Painestore

Indirizzo 47921 Rimini

+39054121629 +39054121732

Url: https://www.painestore.com/garmin_gpsmap_923xsv_radar_pack

DATA AND WATER TEMPERATURE GRAPH

REGISTRATION

HISTORICAL

Connections

NMEA 2000 @ COMPATIBLE

NUMBER OF TRANSDUCER PINS
12-pin (orange)

NMEA 0183 INPUT PORTS
1 (Differential)

NMEA 0183 OUTPUT PORTS
1 (Differential)

VIDEO INPUT PORTS
1 BNC

WIRELESS CONNECTIVITY

J1939 COMPATIBLE

Free CMAP

[X]
[X]
[X]
[X]
[X]

Caratteristiche
Sei interessato ad una offerta
privata? [X]

Display

Painestore

Indirizzo 47921 Rimini

+39054121629 +39054121732

Url: https://www.painestore.com/garmin_gpsmap_923xsv_radar_pack